



KONICA MINOLTA



Mobile  
Connectivity



Services

# **bizhub 3602P**

Black & white A4 printer · Up to 36 pages per minute

Giving Shape to Ideas



## Customer benefits



**Mobile connectivity**  
Print anytime from anywhere with Konica Minolta's innovative mobile technologies



**Services**  
Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup

## Options

### 1 ENHANCED FEATURES

- User Flash UK-P12 OR
- Barcode card UK-P13 OR
- IPDS card UK-P14

### 2 OTHERS

- Air cleaning unit CU-203



### 3 MEDIA INPUT

- Paper tray PF-P15 OR
- Paper tray PF-P16
- Copier desk SCD-4000e

### 4 MEDIA OUTPUT

- Convenience stapler EH-C591

#### LEGEND

- Mandatory option
- Option
- This option can only be installed with the respective option above it

## Finishing functionalities



Duplex



Corner stapling (off-line)

## Descriptions

### bizhub 3602P

Laser printer with 36 ppm b/w. Standard Gigabit Ethernet, 512 MB memory, duplex unit, PCL 5/6, PostScript 3 and XPS support. Paper capacity of 250 sheets and 100-sheet manual bypass. Media from A6 to A4 and 60 – 216 g/m<sup>2</sup>.

### ENHANCED FEATURES

<b>UK-P12 User flash</b>	256 MB User flash for storing fonts, forms and macros or to save job account log
<b>UK-P13 Barcode card</b>	Printer-based electronic barcode engine
<b>UK-P14 IPDS card</b>	Provides compatibility for IPDS printing

## Technical specifications

### SYSTEM SPECIFICATIONS

<b>Panel size/resolution</b>	2 line LCD / 128 x 32
<b>System memory</b>	512 MB (standard)
<b>Interface</b>	10-Base-T/100-Base-TX/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11b/g/n
<b>Network protocols</b>	TCP/IP (IPv4 / IPv6); AppleTalk; Bonjour; SMB; LPD; IPP; SNMP; HTTP/S
<b>Printable paper size</b>	A6–A4, customised paper sizes
<b>Printable paper weight</b>	60–216 g/m <sup>2</sup>
<b>Paper input capacity</b>	Standard: 350 sheets; Max.: 900 sheets
<b>Paper tray input (standard)</b>	250 sheets, A6–A4, 60–120 g/m <sup>2</sup>
<b>Paper tray input (optional)</b>	250/550 sheets; A5–A4; 60–120 g/m <sup>2</sup>
<b>Manual bypass</b>	100 sheets, A6–A4, custom sizes, 60–216 g/m <sup>2</sup>
<b>Automatic duplexing</b>	A4; 60–90 g/m <sup>2</sup>
<b>Output capacity</b>	Max.: 150 sheets
<b>Print volume (monthly)</b>	Rec.: 3,600 pages Max. <sup>1</sup> : 50,000 pages
<b>Toner lifetime</b>	Up to 15,000 pages
<b>Imaging unit lifetime</b>	Up to 60,000 pages
<b>Power consumption</b>	220–240 V / 50/60 Hz; Less than 520 W
<b>System dimensions (W x D x H)</b>	399 x 374 x 260 mm
<b>System weight</b>	Approx. 14 kg

### OTHERS

<b>CU-203 Air cleaning unit</b>	Improving indoor air quality by reduced emissions
---------------------------------	---

### MEDIA INPUT

<b>PF-P15 Paper tray</b>	A5–A4, 250 sheets, 60–120 g/m <sup>2</sup>
<b>PF-P16 Paper tray</b>	A5–A4, 550 sheets, 60–120 g/m <sup>2</sup>
<b>SCD-4000e Copier desk</b>	Ensures ergonomic height and provides storage space for print media, etc.

### MEDIA OUTPUT

<b>EH-C591 Convenience stapler</b>	Convenient stapling of up to 50 prints per set
------------------------------------	--

### PRINTER SPECIFICATIONS

<b>Printing process</b>	Electrostatic laser
<b>Print speed A4</b>	Up to 36 ppm
<b>Autoduplex speed A4</b>	Up to 19 ppm
<b>1st print out time</b>	6.5 sec.
<b>Print resolution</b>	1200 x 1200 dpi
<b>Page description language</b>	PCL 5/6; PostScript 3; XPS
<b>Operating systems</b>	Windows 7 (32/64); Windows 8/8.1 (32/64); Windows 10 (32/64); Windows Server 2008 (32/64); Windows Server 2008 R2; Windows Server 2012; Windows Server 2012 R2; Windows Server 2016; Macintosh OS X 10.9 or later; Linux; Citrix
<b>Printer fonts</b>	89 PCL Latin; 158 PostScript 3 Emulation Latin
<b>Print functions</b>	Duplex, n-up, watermark, electronic sorting
<b>Mobile Printing</b>	AirPrint (iOS), Mopria (Android), Google Cloud Print, Konica Minolta Mobile Print (iOS, Android & Windows 10 Mobile), Konica Minolta Print Service (Android), Wifi Direct

### SYSTEM FEATURES

<b>Security</b>	TCP/UDP port disabling; certificate management; SNMPv3; IPSec support; HTTPS; IP filtering and port blocking; IEEE 802.1x support; SMTP authentication
<b>Software</b>	PageScope Net Care Device Manager

<sup>1</sup> If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed

- All specifications refer to A4-size paper of 80 gsm quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4).  
The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

### Cartridge Return Program

Konica Minolta Return Program cartridges are patented print cartridges sold at a discount in exchange for the customer's agreement to the license requirement that the cartridges will be used only once and returned only to manufacturer for remanufacturing or recycling. These patented cartridges are licensed for single use only and will stop working after delivering a fixed amount of toner. Toner may remain in the cartridge when replacement is required. Replacement cartridges sold without these restrictions (non-returnable cartridges) are also available. Please contact a Konica Minolta representative for further details and availability.

